LEGEND LEGEND NOTE ELECTRICAL SERVICES SWITCHBOARD. o ISOLATOR. ALL ELECTRICAL PENETRATIONS THROUGH THE ROOF SHEETING ARE TO BE IN LINE WITH THE STRUCTURAL SWITCHBOARD / CONTROL PANEL NOT PROVIDED AS OR MECHANICAL SERVICES PENETRATIONS TO AVOID RESIDUAL CURRENT DEVICE. PART OF THE ELECTRICAL SUBCONTRACT. DEDICATED FLASHINGS FOR THE ELECTRICAL SERVICES. CONTACTOR - NORMALLY OPEN. SINGLE POWER OUTLET. CONTACTOR - NORMALLY CLOSED. DOUBLE POWER OUTLET. REFER TO DETAIL NOTED FOR THE AREA SHOWN HATCHED. SPECIAL PURPOSE POWER OUTLET. ADDITIONAL OUTLETS & FITTINGS MAY BE SHOWN ON DETAIL. SINGLE PHASE ISOLATOR. E1 € E1: GENERAL LED EMERGENCY LIGHT. THREE PHASE ISOLATOR. EX: EMERGENCY LED EXIT LIGHT. ■ SIGNAGE CONNECTION. Lx: LIGHT FITTING C/W NON-MAINTAINED EMERGENCY BATTERY PACK. TYPE AS NOTED. JUNCTION BOX. L1: 300 x 600 FLUSH RECESSED LED PANEL LIGHT. HAND DRYER CONNECTION. L2: 300 x 1200 FLUSH RECESSED LED PANEL LIGHT. LIGHTING CONTROL SWITCH PANEL, TYPE AS NOTED. L3: 1200 SURFACE LED BATTEN C/E INTEGRAL SENSOR. ONE-WAY LIGHT SWITCH. GLO1: DECORATIVE DALI DIMMABLE GARDEN STAKE LIGHT. TWO-WAY LIGHT SWITCH. LMP01 O LMP01: DECORATIVE NON DIMMABLE TABLE LAMP. CIRCUIT LINE. LMP02 O LMP02: DECORATIVE NON DIMMABLE TABLE LAMP. SWITCH LINE. HL01: DECORATIVE PENDANT HEAT LAMP. POWER CIRCUIT DESIGNATION. DB-x - Py DENOTES DB AND CIRCUIT. HLO2: LINEAR UNDER SHELF HEAT LAMP. LIGHTING CONTROL CHANNEL REFERENCE. S1: REAR BAR DISPLAY DALI DIMMABLE LED STRIP LIGHT. ELECTRICAL EQUIPMENT AS NOTED. S2: BAR COUNTER PELMET DALI DIMMABLE LED STRIP LIGHT. ▼ RJ45 COMMUNICATIONS OUTLET. S3: REAR CAFE WALL DALI DIMMABLE LED STRIP LIGHT. FIRE EVACUATION SPEAKER. S4: CEILING COFFER DALI DIMMABLE LED STRIP LIGHT. FIRE EMERGENCY WARNING CIE. S5: CEILING COFFER DALI DIMMABLE LED STRIP LIGHT. FIRE DETECTION CIE. S6: WALL PELMET DALI DIMMABLE LED STRIP LIGHT. FIRE ALARM HORN. AMENITY WALL PELMET DALI DIMMABLE LED STRIP LIGHT. THERMAL DETECTOR. CAFE CEILING PELMET DALI DIMMABLE LED STRIP LIGHT. THERMAL DETECTOR, TYPE B SEALED. S9: BAR DISPLAY SHELF SURROUND LED STRIP LIGHT. ROOF MSSB-4 THERMAL DETECTOR WITHIN DUCT. WL01 \mathbf{Q} WLO1: DECORATIVE NON DIMMED WALL LIGHT. DB-3 SMOKE DETECTOR. WLO2: FOUR DECORATIVE FEATURE COLUMN NON DIMMED WALL LIGHT. FUSE. WLO3: DECORATIVE AMENITY ENTRY NON DIMMED WALL LIGHT. w $_{03}$ f QREDLANDS SPORTS CLUB SINGLE PHASE. WL04 Q WLO4: DECORATIVE AMENITY MIRROR NON DIMMED WALL LIGHT. DECORATIVE NON DIMMED PENDANT LIGHT. PD01 🔿 × CIRCUIT BREAKER. PD02 🔿 PD02: DECORATIVE NON DIMMED PENDANT LIGHT. PD03: DECORATIVE NON DIMMED PENDANT LIGHT. PD03 🔿 LAWN BOWLS PDO4: DECORATIVE NON DIMMED PENDANT LIGHT. ☑ CR-A PDO5: DECORATIVE NON DIMMED PENDANT LIGHT. PD06: DECORATIVE NON DIMMED PENDANT LIGHT. PD11: GROUP OF THREE DECORATIVE NON DIMMED PENDANT LIGHTS. LAWN BOWLS RD01: RECESSED DALI DIMMABLE LED DOWNLIGHT. RECESSED DALI DIMMABLE LED DOWNLIGHT. SITE PLAN RDO3: RECESSED DALI DIMMABLE LED DOWNLIGHT. REFURBISHMENT WORKS SHADED SCALE 1: 750 15/05/2024 C TENDER REV: DESCRIPTION: DATE: **ELECTRICAL DESIGN GROUP ELECTRICAL DESIGN GROUP BRISBANE** THE COPYRIGHT OF THIS DRAWING REDLANDS SPORTING CLUB **ELECTRICAL SERVICES** REMAINS THE PROPERTY OF THE PTY LTD ACN 092 710 793 ELECTRICAL DESIGN GROUP. CONSULTANTS ELECTRICAL BUILDING SERVICES **LEGEND & SITE PLAN** REFURBISHMENT TRADING AS: USE FIGURED DIMENSIONS GOLD COAST BRISBANE **ELECTRICAL DESIGN GROUP** IN PREFERENCE TO SCALE. P.O.Box 15, Sherwood Q.4075 ALL DIMENSIONS TO BE Phone: (07) 3278 4375 VERIFIED ONSITE. C3204a E01 Email: brisbane@edg.net.au ANSON ROAD, WELLINGTON POINT, QUEENSLAND 1:750 Web: www.edg.net.au