
LEGEND LEGEND ELECTRICAL SERVICES SWITCHBOARD. FUSE. SINGLE PHASE. SWITCHBOARD / CONTROL PANEL NOT PROVIDED AS PART OF THE ELECTRICAL SUBCONTRACT. THREE PHASE. SINGLE POWER OUTLET. CURRENT TRANSFORMER C/W REMOVABLE LINK. DOUBLE POWER OUTLET. FUSE LINK. SPECIAL PURPOSE POWER OUTLET. COMBINED FUSE SWITCH. SIGNAGE CONNECTION. CIRCUIT BREAKER. SINGLE PHASE ISOLATOR. ISOLATOR. THREE PHASE ISOLATOR. RESIDUAL CURRENT DEVICE. CONDUIT ROUTE. CONTACTOR - NORMALLY OPEN. GAMING FIBRE. CONTACTOR - NORMALLY CLOSED. ELECTRICAL SERVICE POLE. REFER TO DETAIL NOTED FOR THE AREA SHOWN HATCHED. ADDITIONAL OUTLETS & FITTINGS MAY BE SHOWN ON DETAIL. HAND DRYER CONNECTION. ONE-WAY LIGHT SWITCH. Sx: LED STRIP LIGHT, TYPE AS NOTED. TWO-WAY LIGHT SWITCH. E1 € E1: GENERAL LED EMERGENCY LIGHT. CIRCUIT LINE. EX: EMERGENCY LED EXIT LIGHT. SWITCH LINE. Lx: LIGHT FITTING C/W NON-MAINTAINED EMERGENCY BATTERY PACK. TYPE AS NOTED. POWER CIRCUIT DESIGNATION. DB-x - Py DENOTES DB AND CIRCUIT. L1 O L1: REAR BAR RECESSED DOWNLIGHT. LIGHTING CONTROL CHANNEL REFERENCE. L2 L2: BAR COUNTER RECESSED DOWNLIGHT. ELECTRICAL EQUIPMENT AS NOTED. L3 O L3: AMENITY RECESSED DOWNLIGHT. MATV BELLING-LEA OUTLET. L4O L4: KIDS ROOM RECESSED DOWNLIGHT. ▼ RJ45 COMMUNICATIONS OUTLET. L5 C L5: GAMING ROOM RECESSED DOWNLIGHT. $oldsymbol{ abla}$ CAT-6 GAMING OUTLET. L6 O L6: RECEPTION CIRCULATION RECESSED DOWNLIGHT. TAB RJ45 COMMUNICATIONS OUTLET. L7O L7: EXTERNAL ENTRY RECESSED DOWNLIGHT. HDMI OUTLET, TYPE AS NOTED, L8 O L8: PORTE COCHERE RECESED DOWNLIGHT. FIRE EVACUATION SPEAKER. L9 O L9: OFFICE RECESSED DOWNLIGHT. FIRE STROBE VISUAL INDICATOR. PL1: 300 DIA SUSPENDED PENDANT LIGHT. FIRE INDICATOR PANEL. PL2: 300 DIA SUSPENDED PENDANT LIGHT. PL2 🔿 FIRE DOOR INTERFACE. PL3: 300 DIA SUSPENDED PENDANT LIGHT. SMOKE DETECTOR. PL4: CUSTOM RING SUSPENDED PENDANT LIGHT. GAMING WALL LIGHT. W2: CORRIDOR WALL LIGHT. W3 Q W3: EXTERNAL WALL LIGHT. NOTE ALL ELECTRICAL PENETRATIONS THROUGH THE ROOF SHEETING ARE TO BE IN LINE WITH THE STRUCTURAL OR MECHANICAL SERVICES PENETRATIONS TO AVOID DEDICATED FLASHINGS FOR THE ELECTRICAL SERVICES.

EQUIPMENT:

TEST - TEST PUSH BUTTON MOUNTED ON THE DISTRIBUTION BOARD ESCUTCHEON. RESET - RESET PUSH BUTTON MOUNTED ON THE DISTRIBUTION BOARD ESCUTCHEON.


LAMP - AMBER TEST INDICATING LAMP MOUNTED ON THE DISTRIBUTION BOARD ESCUTCHEON.

- Ta ADJUSTABLE 0-3 HOUR TIMED RELAY.
- 15 MINUTE RUN-ON TIMER TO OPERATE UPON THE RETURN OF MAINS POWER.
- Cx CONTACTOR x.
- CRx CONTROL RELAY x.
- Rx RELAY x.



SCHEMATIC

RJ45 PINOUT CONFIGURATION NOT TO SCALE



NOTES


SCHEMATIC EMERGENCY LIGHTING

STRUCTURE

1. THE EMERGENCY LIGHT UNSWITCHED ACTIVE / GENERAL LIGHTING SWITCHED ACTIVE CIRCUIT ARRANGEMENT AND CONTROL IS TYPICAL FOR ALL CIRCUITS SUPPLYING EMERGENCY LIGHTS.

-PROVIDE SUPPORT WITHIN THE

PROVIDE ADDITIONAL CONTROL RELAYS (CRx) CONFIGURED AS PER CRa AND CRb FOR ALL ADDITIONAL LIGHTING CIRCUITS THAT SUPPLY LIGHTS IN THE VICINITY OF THE EMERGENCY LIGHTS.



CEILING SPACE FOR THE "CS" OUTLET AS PART OF THE ELECTRICAL SUBCONTRACT CONFIRM COLOUR OF ALL-"CEIL" OUTLETS ON SITE. -WHEN INSTALLING THE "CS" OUTLET CONFIRM THE LOCATION OF THE CEILING ACCESS WITH PROVIDE A FLUSH RECESSED "FLOOR BOX"-THE BUILDER ON SITE. AS PART OF THE ELECTRICAL SUBCONTRACT. SUBMIT DETAILS FOR APPROVAL. CONFIRM COLOUR OF ALL-COORDINATE THE RECESS WITH THE "BULKHEAD" OUTLETS ON SITE. STRUCTURE ON SITE OBTAINING APPROVAL FROM THE STRUCTURAL ENGINEER. **NOTE** CONFIRM THE CONCEALED — CABLE ACCESS WITH THE THE MOUNTING ARRANGEMENTS AND OUTLETS BUILDER ON SITE. SHOWN ON THIS DETAIL ARE GENERIC AND MAY NOT BE REQUIRED ON THIS PROJECT. BENCHTOP 🔽 ---PROVIDE A RAISED STAINLESS STEEL FLOOR MOUNTED HOUSING FOR THE "FLOOR" MOUNTED OUTLET AS PART WHEN NO HEIGHT IS OF THE ELECTRICAL SUBCONTRACT. SPECIFIED THE OUTLET IS SUBMIT DETAILS FOR APPROVAL. TO BE MOUNTED 300mm AFFL. → FB ● ⊿

DETAIL HAND DRYER CONNECTION NOT TO SCALE

DETAIL TYPICAL OUTLET MOUNTINGS

NOT TO SCALE

B | CONSTRUCTION 11/09/2023 REV: DESCRIPTION: DATE: DRAWING: **ELECTRICAL SERVICES**

THE COPYRIGHT OF THIS DRAWING **ELECTRICAL DESIGN GROUP BRISBANE** PTY LTD ACN 092 710 793 TRADING AS: **ELECTRICAL DESIGN GROUP**

REMAINS THE PROPERTY OF THE ELECTRICAL DESIGN GROUP. USE FIGURED DIMENSIONS IN PREFERENCE TO SCALE. ALL DIMENSIONS TO BE VERIFIED ONSITE.

ELECTRICAL DESIGN GROUP

ELECTRICAL BUILDING SERVICES CONSULTANTS GOLD COAST BRISBANE

P.O.Box 15, Sherwood Q.4075

Email: brisbane@edg.net.au

Phone: (07) 3278 4375

Web: www.edg.net.au

VICTORIA POINT SHARKS SPORTING CLUB

LEGEND, SCHEMATICS & DETAILS

NOT TO SCALE AT A1

C2931a E01

REVISION:

B

325 COLBURN AVENUE, VICTORIA POINT, QUEENSLAND