



ELECTRICAL DESIGN GROUP

ELECTRICAL BUILDING SERVICES CONSULTANTS

P.O. Box 15, SHERWOOD Q. 4075

Phone: (07) 3278 4375

Website: www.edg.net.au Email: brisbane@edg.net.au

C3134a - LOURDES HILL COLLEGE - STAGE 1

C3134a-0004(A).xls

DISTRIBUTION BOARD DB-GG

REVISION A - 30 NOVEMBER 2023

							REV
POWER CHASSIS SIZE: 48 POLES							A
LIGHTING CHASSIS SIZE: 24 POLES							A
REFER TO THE DRAWING C3134a-E03.DWG SCHEMATIC FOR THE DISTRIBUTION BOARD CONFIGURATION AND ADDITIONAL DETAILS							A
CIRC	PH	CIRCUIT BREAKER (amps)	CONTROL EQUIPMENT	CABLE SIZE (mm ²)	LOCATION	CIRCUIT USE	
P1	1	20	RCBO	2.5		RACK	A
P2	1	20	RCBO	2.5		RACK	A
P3	1	20	RCBO	2.5		SECURITY	A
P4	1	20	RCBO	2.5		DRINK FOUNTAIN	A
P5	1	20	RCBO	2.5		CL	A
P6	1	20	RCBO	2.5	TIERED SEATING	OUTLETS	A
P7	1	20	RCBO	2.5	TIERED SEATING	OUTLETS	A
P8	1	20	RCBO	2.5	PLANT	GPOs	A
P9	1	20	RCBO	2.5		EWCIÉ	A
P10	1	20	RCBO	2.5		FDCIE	A
P11	1	20	RCBO	2.5		PROJECTOR	A
L1	1	20	RCBO	2.5	STAIRWELL	LIGHTING	A
L2	1	20	RCBO	2.5	STAIRWELL	LIGHTING	A