

# ELECTRICAL DESIGN GROUP

ELECTRICAL BUILDING SERVICES CONSULTANTS

P.O. Box 15, SHERWOOD Q. 4075

Phone: (07) 3278 4375 Fax: (07) 3716 0222

Web Site: www.edg.net.au Email: brisbane@edg.net.au


C3638a - KENSINGTON TAVERN

C3638a-0004(D).xls

LIGHTING CONTROL SCHEDULE

REVISION D - 18 MARCH 2026

| MISCELLANEOUS EQUIPMENT |  |  |                      |          | REV |
|-------------------------|--|--|----------------------|----------|-----|
| ITEM                    | DESCRIPTION  |  |                      |          |     |
| SP1                     | AS DETAILED IN THE EQUIPMENT SCHEDULE 6-BUTTON PROGRAMMABLE SWITCH PANEL C/W CENTRAL LCD DISPLAY DYNALITE ANTUMBRA DISPLAY ALUMINIUM |  |                      |          | A   |
| SP2                     | AS DETAILED IN THE EQUIPMENT SCHEDULE 6-BUTTON PROGRAMMABLE SWITCH PANEL C/W CENTRAL LCD DISPLAY DYNALITE ANTUMBRA DISPLAY ALUMINIUM |  |                      |          | A   |
| SP3                     | AS DETAILED IN THE EQUIPMENT SCHEDULE 6-BUTTON PROGRAMMABLE SWITCH PANEL C/W CENTRAL LCD DISPLAY DYNALITE ANTUMBRA DISPLAY ALUMINIUM |  |                      |          | A   |
| PE CELL                 | PROGRAMMABLE PE CELL DUS 90CS CONFIRM THE LOCATION ON SITE WITH THE ARCHITECT  |  |                      |          | A   |
| TIME CLOCK              | PROGRAMMABLE TIME CLOCK ENVISION GATEWAY PDEG LOCATED IN DB-A  |  |                      |          | A   |
| <b>CONTROL MODULE 1</b> |  |  |                      |          | A   |
| TYPE:                   |  | DYNALITE DDRC1220FR-GL                 |                      |          | A   |
| DESCRIPTION             |  | 12CH 20 A FEEDTHROUGH RELAY CONTROLLER |                      |          | A   |
| LOCATION                |  | DIN RAIL MOUNTED WITHIN DB-A           |                      |          | A   |
| BUS:                    |  | A                                      |                      |          | A   |
| CHANNEL                 | CONTROL  | DESCRIPTION                            |                      |          |     |
|                         |  | LOCATION                               | CIRCUIT              | USE      |     |
| 1                       |  |  |                      |          | A   |
| 2                       | SWITCHED   | GAMING                                 | DB-CJB VIA CONTACTOR | SIGNS    | A   |
| 3                       | SWITCHED   | GAMING                                 | DB-CJB VIA CONTACTOR | G1       | A   |
| 4                       | SWITCHED   | EXTERNAL                               | DB-A- L2             | SIGN     | A   |
| 5                       | SWITCHED   | EXTERNAL                               | DB-A- L2             | WL02     | A   |
| 6                       | SWITCHED   | GAMING DOSA                            | DB-A- L2             | SL03     | A   |
| 7                       | SWITCHED   | BISTRO AMENITY                         | DB-A- L9             | LIGHTING | A   |
| 8                       | SWITCHED   | SPORTS BAR AMENITY                     | DB-A- L10            | LIGHTING | A   |
| 9                       |  |  |                      |          | A   |
| 10                      |  |  |                      |          | A   |
| 11                      |  |  |                      |          | A   |
| 12                      |  |  |                      |          | A   |
| <b>CONTROL MODULE 2</b> |  |  |                      |          | A   |
| TYPE:                   |  | DYNALITE DDMC802                       |                      |          | A   |
| DESCRIPTION             |  | 8CH MODULAR CONTROLLER                 |                      |          | A   |
| LOCATION                |  | DIN RAIL MOUNTED WITHIN DB-A           |                      |          | A   |
| BUS:                    |  | A                                      |                      |          | A   |
| CHANNEL                 | CONTROL  | DESCRIPTION                            |                      |          |     |
|                         |  | LOCATION                               | CIRCUIT              | USE      |     |
| 13                      | DGTM202  | GAMING                                 | DB-A -L3             | PDE1     | A   |
| 14                      |  | GAMING                                 |                      | WL01     | A   |
| 15                      | DGTM202  | LEVEL 1                                |                      | WL01     | A   |
| 16                      |  |  |                      |          | A   |
| 17                      |  |  |                      |          | A   |
| 18                      |  |  |                      |          | A   |
| 19                      |  |  |                      |          | A   |
| 20                      |  |  |                      |          | A   |




C3638a - KENSINGTON TAVERN

C3638a-0004(D).xls

LIGHTING CONTROL SCHEDULE

REVISION D - 18 MARCH 2026

| CONTROL MODULE 3 |          |                                 |           |  | A |
|------------------|----------|---------------------------------|-----------|--|---|
| TYPE:            |          | DYNALITE DDBC1200               |           |  | A |
| DESCRIPTION      |          | 12CH BOARD CAST DALI CONTROLLER |           |  | A |
| LOCATION         |          | DIN RAIL MOUNTED WITHIN DB-A    |           |  | A |
| BUS:             |          | A                               |           |  | A |
| CHANNEL          | CONTROL  | DESCRIPTION                     |           |  | A |
|                  |          | LOCATION                        | CIRCUITS  | USE                                    |   |
| 21               | DALI DIM | GAMING                          | DB-A- L4  | S5                                     | A |
| 22               | DALI DIM | GAMING                          | DB-A- L4  | S3                                     | A |
| 23               | DALI DIM | GAMING                          | DB-A- L4  | S7                                     | A |
| 24               | DALI DIM | GAMING                          | DB-A- L4  | RD01                                   | A |
| 25               | DALI DIM | GAMING                          | DB-A- L4  | SL01 & SL02 VIA A DALI TO TE CONVERTER | A |
| 26               | DALI DIM | GAMING                          | DB-A- L5  | RD05                                   | A |
| 27               | DALI DIM | GAMING                          | DB-A- L5  | SL01 & SL02 VIA A DALI TO TE CONVERTER | A |
| 28               | DALI DIM | GAMING                          | DB-A- L6  | RD01                                   | A |
| 29               | DALI DIM | GAMING                          | DB-A- L6  | RD01                                   | A |
| 30               | DALI DIM | GAMING                          | DB-A- L6  | RD05                                   | A |
| 31               | DALI DIM | GAMING                          | DB-A- L4  | S12                                    | D |
| 32               | DALI DIM | EXTERNAL                        | DB-A- L1  | S1                                     | D |
| CONTROL MODULE 4 |          |                                 |           |  | A |
| TYPE:            |          | DYNALITE DDBC1200               |           |  | A |
| DESCRIPTION      |          | 12CH BOARD CAST DALI CONTROLLER |           |  | A |
| LOCATION         |          | DIN RAIL MOUNTED WITHIN DB-A    |           |  | A |
| BUS:             |          | A                               |           |  | A |
| CHANNEL          | CONTROL  | DESCRIPTION                     |           |  | A |
|                  |          | LOCATION                        | CIRCUITS  | USE                                    |   |
| 33               | DALI DIM | GAMING                          | DB-A- L7  | S2                                     | A |
| 34               | DALI DIM | GAMING                          | DB-A- L7  | S2                                     | A |
| 35               | DALI DIM | GAMING                          | DB-A- L7  | S2                                     | A |
| 36               | DALI DIM | GAMING                          | DB-A- L7  | S2                                     | A |
| 37               | DALI DIM | GAMING                          | DB-A- L7  | S2                                     | A |
| 38               | DALI DIM | GAMING                          | DB-A- L7  | S2                                     | A |
| 39               | DALI DIM | GAMING                          | DB-A- L7  | S2                                     | A |
| 40               | DALI DIM | EXTERNAL                        | DB-A- L8  | RD03                                   | B |
| 41               | DALI DIM | EXTERNAL                        | DB-A- L8  | S8                                     | A |
| 42               | DALI DIM | ENTRY                           | DB-A- L8  | RD01                                   | A |
| 43               | DALI DIM | ENTRY                           | DB-A- L8  | RD01                                   | A |
| 44               |          |                                 |           |  | A |
| CONTROL MODULE 5 |          |                                 |           |  | A |
| TYPE:            |          | DYNALITE DDBC1200               |           |  | A |
| DESCRIPTION      |          | 12CH BOARD CAST DALI CONTROLLER |           |  | A |
| LOCATION         |          | DIN RAIL MOUNTED WITHIN DB-A    |           |  | A |
| BUS:             |          | A                               |           |  | A |
| CHANNEL          | CONTROL  | DESCRIPTION                     |           |  | A |
|                  |          | LOCATION                        | CIRCUITS  | USE                                    |   |
| 45               | DALI DIM | BISTRO                          | DB-A- L10 | S5                                     | A |
| 46               | DALI DIM | AMENITY                         | DB-A- L10 | S9                                     | A |
| 47               | DALI DIM | BISTRO                          | DB-A- L10 | RD01                                   | A |
| 48               | DALI DIM | BAR                             | DB-A- L11 | RD05                                   | A |
| 49               | DALI DIM | BAR                             | DB-A- L11 | RD01                                   | A |
| 50               | DALI DIM | SPORTS BAR                      | DB-A- L12 | RD01                                   | A |
| 51               | DALI DIM | BAR                             | DB-A- L12 | S3                                     | A |
| 52               | DALI DIM | BAR                             | DB-A- L12 | S4                                     | A |
| 53               | DALI DIM | SPORTS BAR                      | DB-A- L12 | S5                                     | A |
| 54               | DALI DIM | SPORTS BAR                      | DB-A- L12 | S5                                     | A |
| 55               |          |                                 |           |  | A |
| 56               |          |                                 |           |  | A |



# ELECTRICAL DESIGN GROUP

ELECTRICAL BUILDING SERVICES CONSULTANTS

P.O. Box 15, SHERWOOD Q. 4075

Phone: (07) 3278 4375 Fax: (07) 3716 0222

Web Site: www.edg.net.au Email: brisbane@edg.net.au

C3638a - KENSINGTON TAVERN

C3638a-0004(D).xls

LIGHTING CONTROL SCHEDULE

REVISION D - 18 MARCH 2026

| CONTROL MODULE 6 |          |                                 |           |      | A |
|------------------|----------|---------------------------------|-----------|------|---|
| TYPE:            |          | DYNALITE DDMC802                |           |      | A |
| DESCRIPTION      |          | 8CH MODULAR CONTROLLER          |           |      | A |
| LOCATION         |          | DIN RAIL MOUNTED WITHIN DB-A    |           |      | A |
| BUS:             |          | A                               |           |      | A |
| CHANNEL          | CONTROL  | DESCRIPTION                     |           |      | A |
|                  |          | LOCATION                        | CIRCUIT   | USE  | A |
| 57               | DGTM202  | BISTRO                          | DB-A -L13 | PDE2 | A |
| 58               |          | BISTRO                          |           | PDE2 | A |
| 59               | DGTM202  | SPORTS BAR                      |           | PD01 | A |
| 60               |          | LEVEL 1 FUNCTION                |           | PDE3 | A |
| 61               | DGTM202  | SPORTS BAR                      |           | PDE2 | A |
| 62               |          |                                 |           |      | A |
| 63               |          |                                 |           |      | A |
| 64               |          |                                 |           |      | A |
| CONTROL MODULE 7 |          |                                 |           |      | A |
| TYPE:            |          | DYNALITE DDBC1200               |           |      | A |
| DESCRIPTION      |          | 12CH BOARD CAST DALI CONTROLLER |           |      | A |
| LOCATION         |          | DIN RAIL MOUNTED WITHIN DB-A    |           |      | A |
| BUS:             |          | A                               |           |      | A |
| CHANNEL          | CONTROL  | DESCRIPTION                     |           |      | A |
|                  |          | LOCATION                        | CIRCUITS  | USE  | A |
| 65               | DALI DIM | LEVEL 1 FUNCTION                | DB-A- L14 | RD02 | A |
| 66               | DALI DIM | LEVEL 1 FUNCTION                | DB-A- L14 | RD02 | A |
| 67               | DALI DIM | LEVEL 1 FUNCTION                | DB-A- L14 | RD02 | A |
| 68               | DALI DIM | LEVEL 1 FUNCTION                | DB-A- L15 | S6   | B |
| 69               | DALI DIM | LEVEL 1 FUNCTION                | DB-A- L15 | RD02 | B |
| 70               | DALI DIM | LEVEL 1 FUNCTION                | DB-A- L15 | S3   | B |
| 71               | DALI DIM | LEVEL 1 FUNCTION                | DB-A- L15 | RD02 | B |
| 72               | DALI DIM | ROOF TURRET                     | DB-A- L16 | S11  | C |
| 73               | DALI DIM | HIGH LEVEL BISTRO               | DB-A- L16 | RD04 | C |
| 74               |          |                                 |           |      | A |
| 75               |          |                                 |           |      | A |
| 76               |          |                                 |           |      | A |