



## QF CEILING SPEAKER RANGE

A COMPLETE RANGE FOR EVERY APPLICATION



**A complete range of ceiling speakers**  
including twin cone, coaxial and  
premium models.

QFC5CS / QFC6CS / QFC8CS • QF5CS / QF6CS / QF8CS / QF8CSB • QF20CS / QF60CS / QF80CS

The Australian Monitor QuickFit range of ceiling speakers provides **options for every application**, from simple background music and paging installations to high quality music in pubs, bars, and clubs.

The twin cone QF range is the **perfect choice where an economical solution is required along with high intelligibility and SPL**. If cleaner lines and higher quality music are needed, then the coaxial QFC range is ideal. **Frameless, magnetic grilles, higher power handling and the built-in tweeter** make these the perfect choice

for quality music installations in boardrooms, retail, and function centres.

**Need more power, solid bass response with music reproduction being the primary focus?** Then the QF premium range is the speaker of choice. The back can and front ported enclosure increases bass definition in the room and reduces spill in the ceiling cavity, while the frameless, magnetic grilles provide clean lines. They are the perfect solution for bars, nightclubs, and function centres.

## QUICKFIT DUAL CONE SERIES

QF5CS • QF6CS • QF8CS • QF8CSB

**The Australian Monitor QuickFit range of ceiling speakers has been an industry staple for over a decade.**

This QuickFit series of dual cone, flush mount ceiling speakers offers exceptional voicing, a refined toggle mounting system, and all the information you need to install including a cut out template providing wiring, wattage tapping and cut out information.

The QuickFit dual cone series QF5CS, QF6CS, QF8CS and QF8CSB provide cost effective solutions for a myriad of commercial audio applications such as education, shopping centres, common areas, RSLs, clubs, restaurants, fire evacuation systems and many more applications that requires a reliable high quality affordable commercial ceiling speaker product. Each model also features a supervisory capacitor as standard to allow for evacuation system integration.




*QF8CS Front - with and without grille*

### FEATURES

- 5, 6 or 8 inch dual cone driver
- White ABS plastic baffle and powder coated steel grille.  
Also available in black version, QF8CSB
- 100 volt line transformer
- Evac. capacitor as standard



*QF8CS Rear*





## QUICKFIT COAXIAL SERIES

QFC5CS • QFC6CS • QFC8CS

**The QuickFit coaxial series of ceiling speakers features three models, each with a 2-way coaxial driver producing high SPL and intelligibility.**

The frameless grilles provide a modern sleek look sure to please end users, consultants, and architects alike. If you require a black ceiling speaker it's as easy as changing the grille. A black grille for each model can be purchased separately as an accessory.

The QFC5CS, QFC6CS and QFC8CS series of QuickFit ceiling speakers are the perfect choice for situations demanding high intelligibility and SPL. Recommended for function rooms, school halls, retail spaces, boardrooms, place of worship, RSL's, clubs, pubs, restaurants, and many other commercial applications. Each model also features a supervisory capacitor as standard to allow for evacuation system integration.




*QFC8CS Front - with and without grille*

### FEATURES

- 5, 6 or 8 inch coaxial high powered driver
- QuickFit white frameless powder coated steel grille
- 100 volt line transformer
- Evac. capacitor as standard
- Optional black grille available



*QFC8CS Rear*







# QUICKFIT PREMIUM COAXIAL SERIES

QF20CS • QF60CS • QF80CS

**When you need more power and solid bass response the QuickFit premium coaxial series of ceiling speakers are sure to exceed expectations.**

This premium series features two way coaxial drivers producing high SPL and detailed audio reproduction. The frameless magnetic grilles allow easy removal of the grille for tapping changes and quick installation. Porting through the front baffle improves bass response and ensures detailed bass definition. The sealed back-can provides isolation in the ceiling space ensuring spill in the ceiling cavity is kept to a minimum.

If you require a black ceiling speaker it's as easy as changing the grille. A black grille for each model can be purchased separately as an accessory.

The QF20CS, QF60CS and QF80CS series of QuickFit ceiling speakers are the perfect choice for situations demanding high intelligibility and SPL. Pubs, clubs, bars, retail spaces, functions rooms, lecture rooms, boardrooms and many other commercial spaces requiring a premium high powered ceiling speaker solution.




*QF60CS Front - with and without grille*

## FEATURES

- 4, 6 and 8 inch coaxial high powered driver
- QuickFit white frameless powder coated steel grille
- Sealed steel back can
- 100V and 16 ohm low impedance tapping
- Optional black grille available
- Tile Bridge included with QF60CS and QF80CS
- Front ported enclosure



*QF80CS Rear*





## SPECIFICATIONS

### QUICKFIT DUAL CONE SERIES

MODEL	QF5CS	QF6CS	QF8CS	QF8CSB
COAXIAL 2 WAY DRIVER	5 Inch & 25 mm	6 Inch & 25 mm	8 Inch & 25 mm	8 Inch & 25 mm
POWER TAPS @ 100V	0.75, 1.5, 3, 6 watts	1.25, 2.5, 5, 10 watts	1.87, 3.75, 7.5, 15 watts	1.87, 3.75, 7.5, 15 watts
POWER TAPS @ 70V	0.38, 0.75, 1.5, 3 watts	0.62, 1.25, 2.5, 5 watts	0.93, 1.87, 3.75, 7.5 watts	0.93, 1.87, 3.75, 7.5 watts
SENSITIVITY (1W/1M)	88dB	89dB	90dB	90dB
FREQUENCY RESPONSE	80-20 KHz	80-20 KHz	80-20 KHz	80-20 KHz
DISPERSION DEGREES @ 1KHZ	100	100	100	100
GRILLE COLOUR	White	White	White	Black
WEIGHT	0.5 Kg	0.9 Kg	1.4 Kg	1.4 Kg
DIMENSIONS	215 x 80 mm	240 x 78 mm	280 x 90 mm	280 x 90 mm
CUTOUT DIMENSION	180 mm	208 mm	245 mm	245 mm
EVAC CAPACITOR 2.2UF	Yes	Yes	Yes	Yes

### QUICKFIT COAXIAL SERIES

MODEL	QFC5CS	QFC6CS	QFC8CS
COAXIAL 2 WAY DRIVER	5 Inch & 25 mm	6 Inch & 25 mm	8 Inch & 25 mm
POWER TAPS @ 100V	1.25, 2.5, 5, 10 watts	2.5, 5, 10, 20 watts	3.75, 7.5, 15, 30 watts
POWER TAPS @ 70V	0.65, 1.25, 2.5, 5 watts	1.25, 2.5, 5, 10 watts	1.87, 3.75, 7.5, 15 watts
SENSITIVITY (1W/1M)	91dB	92dB	94dB
FREQUENCY RESPONSE	80-20 KHz	70-20 KHz	60-20 KHz
DISPERSION DEGREES @ 1KHZ	100	100	100
GRILLE COLOUR	White	White	White
WEIGHT	0.9 Kg	1.2 Kg	1.6 Kg
DIMENSIONS	205 x 80 mm	232 x 98 mm	282 x 98 mm
CUTOUT DIMENSION	178 mm	208 mm	248 mm
EVAC CAPACITOR 2.2UF	Yes	Yes	Yes
BLACK GRILLE ACCESSORY	QFC5GRILLB	QFC6GRILLB	QFC8GRILLB



# SPECIFICATIONS

## QUICKFIT PREMIUM COAXIAL SERIES

MODEL	QF20CS	QF60CS	QF80CS
COAXIAL 2 WAY DRIVER	4 inch & 20mm	6.5 inch & 20mm	8 inch & 20mm
POWER TAPS @ 100V	2.5, 5, 10, 20 watts	15, 30, 60 watts	20, 40, 80 watts
POWER TAPS @ 70V	1.75, 2.5, 5, 10 watts	7.5, 15, 30, 60 watts	10, 20, 40, 80 watts
LOWZ NOMINAL IMPEDANCE	16 Ohms	16 Ohms	16 Ohms
MAX POWER HANDLING	30 watts @ 16 Ohms	60 watts @ 16 Ohms	80 watts @ 16ohms
SENSITIVITY (1W/1M)	89dB	90dB	90dB
FREQUENCY RESPONSE	110-20 KHz	85-20 KHz	50-20 KHz
DISPERSION DEGREES @ 1KHZ	130	130	110
GRILLE COLOUR	White	White	White
WEIGHT	2.15 Kg	3.7 Kg	5.65 Kg
DIMENSIONS	218 x 125 mm	257 x 195 mm	308 x 244 mm
CUTOUT DIMENSION	182 mm	221 mm	272 mm
EVAC CAPACITOR 2.2UF	No	No	No
TILE BRIDGE INCLUDED	No	No	Yes
BLACK GRILLE ACCESSORY	QF20CSGRILLB	QF60CSGRILLB	QF80CSGRILLB
OTHER ACCESSORIES	Tile bar bridge QF20CSTB	N/A	N/A

### ENGINEERED BY AUSTRALIAN MONITOR

Address: Unit 1, 2 Daydream Street, Warriewood NSW 2102 Australia

Website: [www.australianmonitor.com.au](http://www.australianmonitor.com.au)

International enquiries email: [international@australianmonitor.com.au](mailto:international@australianmonitor.com.au)

ABN 86 003 231 187